THE COLLECTION
NAVONA

NAVONA COLLECTION · PORCELAIN

PORCELAIN FLOOR & WALL TILE

TECHNICAL DATA & INSTALLATION GUIDELINES

Rectified color-body porcelain, vein cut made in Italy, in 2" × 8", 4" × 12", 6" × 6", 6" × 24", 12" × 24", matte, polished finishes. Rated for floors and walls, inside and out, including submerged pool and spa areas.

AT A GLANCE

- **Floor & wall** · interior and exterior
- **Matte, Polished** · finishes
- **Frost resistant** · absorption ≤ 0.5%
- **Pool & spa rated** · submerged areas
- **Slip rating R10** · DCOF 0.42 or more (matte)

01 THE COLLECTION SKU LISTING & PACKAGING

ITEM CODE	PRODUCT	FINISH	PACKED	COVERAGE
STOCKED ITEMS · 9 items · ship from stock				
TP-664-5980	Navona Vein Cut Candido Real Surface Technology Matte 12x24 Travertine-Look Porcelain Tile	Matte	7 pcs / box	13.58 sq ft
TP-664-5960	Navona Vein Cut Nebulo Real Surface Technology Matte 12x24 Travertine-Look Porcelain Tile	Matte	7 pcs / box	13.58 sq ft
TP-664-5940	Navona Vein Cut Nievo Real Surface Technology Matte 12x24 Travertine-Look Porcelain Tile	Matte	7 pcs / box	13.58 sq ft
TP-664-5880	Navona Vein Cut Candido Polished 24x48 Travertine-Look Porcelain Tile	Polished	2 pcs / box	15.5 sq ft
TP-664-5820	Navona Vein Cut Candido Real Surface Technology Matte 24x48 Travertine-Look Porcelain Tile	Matte	2 pcs / box	15.5 sq ft
TP-664-5860	Navona Vein Cut Nebulo Polished 24x48 Travertine-Look Porcelain Tile	Polished	2 pcs / box	15.5 sq ft
TP-664-5800	Navona Vein Cut Nebulo Real Surface Technology Matte 24x48 Travertine-Look Porcelain Tile	Matte	2 pcs / box	15.5 sq ft
TP-664-5840	Navona Vein Cut Nievo Polished 24x48 Travertine-Look Porcelain Tile	Polished	2 pcs / box	15.5 sq ft
TP-664-5780	Navona Vein Cut Nievo Real Surface Technology Matte 24x48 Travertine-Look Porcelain Tile	Matte	2 pcs / box	15.5 sq ft
SPECIAL ORDER ITEMS · 38 items · made or cut to order, lead time shown · final sale				
TP-664-5880-TL2X8	Navona Vein Cut Candido Polished 2x8 Travertine-Look Porcelain Tile 1–3 WEEKS	Polished	18 pcs / set	1.94 sq ft
TP-664-5980-TL2X8	Navona Vein Cut Candido Real Surface Technology Matte 2x8 Travertine-Look Porcelain Tile 1–3 WEEKS	Matte	18 pcs / set	1.94 sq ft
TP-664-5860-TL2X8	Navona Vein Cut Nebulo Polished 2x8 Travertine-Look Porcelain Tile 1–3 WEEKS	Polished	18 pcs / set	1.94 sq ft
TP-664-5960-TL2X8	Navona Vein Cut Nebulo Real Surface Technology Matte 2x8 Travertine-Look Porcelain Tile 1–3 WEEKS	Matte	18 pcs / set	1.94 sq ft
TP-664-5840-TL2X8	Navona Vein Cut Nievo Polished 2x8 Travertine-Look Porcelain Tile 1–3 WEEKS	Polished	18 pcs / set	1.94 sq ft
TP-664-5940-TL2X8	Navona Vein Cut Nievo Real Surface Technology Matte 2x8 Travertine-Look Porcelain Tile 1–3 WEEKS	Matte	18 pcs / set	1.94 sq ft
TP-664-5880-TL4X12	Navona Vein Cut Candido Polished 4x12 Travertine-Look Porcelain Tile 1–3 WEEKS	Polished	6 pcs / set	1.94 sq ft
TP-664-5980-TL4X12	Navona Vein Cut Candido Real Surface Technology Matte 4x12 Travertine-Look Porcelain Tile 1–3 WEEKS	Matte	6 pcs / set	1.94 sq ft

ITEM CODE	PRODUCT	FINISH	PACKED	COVERAGE
TP-664-5860-TL4X12	Navona Vein Cut Nebulo Polished 4x12 Travertine-Look Porcelain Tile 1–3 WEEKS	Polished	6 pcs / set	1.94 sq ft
TP-664-5960-TL4X12	Navona Vein Cut Nebulo Real Surface Technology Matte 4x12 Travertine-Look Porcelain Tile 1–3 WEEKS	Matte	6 pcs / set	1.94 sq ft
TP-664-5840-TL4X12	Navona Vein Cut Nievo Polished 4x12 Travertine-Look Porcelain Tile 1–3 WEEKS	Polished	6 pcs / set	1.94 sq ft
TP-664-5940-TL4X12	Navona Vein Cut Nievo Real Surface Technology Matte 4x12 Travertine-Look Porcelain Tile 1–3 WEEKS	Matte	6 pcs / set	1.94 sq ft
TP-664-5880-TL6X6	Navona Vein Cut Candido Polished 6x6 Travertine-Look Porcelain Tile 1–3 WEEKS	Polished	8 pcs / set	1.94 sq ft
TP-664-5980-TL6X6	Navona Vein Cut Candido Real Surface Technology Matte 6x6 Travertine-Look Porcelain Tile 1–3 WEEKS	Matte	8 pcs / set	1.94 sq ft
TP-664-5860-TL6X6	Navona Vein Cut Nebulo Polished 6x6 Travertine-Look Porcelain Tile 1–3 WEEKS	Polished	8 pcs / set	1.94 sq ft
TP-664-5960-TL6X6	Navona Vein Cut Nebulo Real Surface Technology Matte 6x6 Travertine-Look Porcelain Tile 1–3 WEEKS	Matte	8 pcs / set	1.94 sq ft
TP-664-5840-TL6X6	Navona Vein Cut Nievo Polished 6x6 Travertine-Look Porcelain Tile 1–3 WEEKS	Polished	8 pcs / set	1.94 sq ft
TP-664-5940-TL6X6	Navona Vein Cut Nievo Real Surface Technology Matte 6x6 Travertine-Look Porcelain Tile 1–3 WEEKS	Matte	8 pcs / set	1.94 sq ft
TP-664-5880-TL6X24	Navona Vein Cut Candido Polished 6x24 Travertine-Look Porcelain Tile 1–3 WEEKS	Polished	4 pcs / box	3.88 sq ft
TP-664-5980-TL6X24	Navona Vein Cut Candido Real Surface Technology Matte 6x24 Travertine-Look Porcelain Tile 1–3 WEEKS	Matte	4 pcs / box	3.88 sq ft
TP-664-5860-TL6X24	Navona Vein Cut Nebulo Polished 6x24 Travertine-Look Porcelain Tile 1–3 WEEKS	Polished	4 pcs / box	3.88 sq ft
TP-664-5960-TL6X24	Navona Vein Cut Nebulo Real Surface Technology Matte 6x24 Travertine-Look Porcelain Tile 1–3 WEEKS	Matte	4 pcs / box	3.88 sq ft
TP-664-5840-TL6X24	Navona Vein Cut Nievo Polished 6x24 Travertine-Look Porcelain Tile 1–3 WEEKS	Polished	4 pcs / box	3.88 sq ft
TP-664-5940-TL6X24	Navona Vein Cut Nievo Real Surface Technology Matte 6x24 Travertine-Look Porcelain Tile 1–3 WEEKS	Matte	4 pcs / box	3.88 sq ft
TP-624-5880-MOS2X2	Navona Vein Cut Candido Polished 2x2 Square Travertine-Look Porcelain Mosaic 1–3 WEEKS	Polished	5 pcs / box	
TP-624-5980-MOS2X2	Navona Vein Cut Candido Real Surface Technology Matte 2x2 Square Travertine-Look Porcelain Mosaic 1–3 WEEKS	Matte	5 pcs / box	
TP-624-5860-MOS2X2	Navona Vein Cut Nebulo Polished 2x2 Square Travertine-Look Porcelain Mosaic 1–3 WEEKS	Polished	5 pcs / box	
TP-624-5960-MOS2X2	Navona Vein Cut Nebulo Real Surface Technology Matte 2x2 Square Travertine-Look Porcelain Mosaic 1–3 WEEKS	Matte	5 pcs / box	
TP-624-5840-MOS2X2	Navona Vein Cut Nievo Polished 2x2 Square Travertine-Look Porcelain Mosaic 1–3 WEEKS	Polished	5 pcs / box	
TP-624-5940-MOS2X2	Navona Vein Cut Nievo Real Surface Technology Matte 2x2 Square Travertine-Look Porcelain Mosaic 1–3 WEEKS	Matte	5 pcs / box	
TP-664-5880-2X8HERR	Navona Vein Cut Candido Polished 2x8 Herringbone Travertine-Look Porcelain Mosaic 1–3 WEEKS	Polished	5 pcs / box	4.31 sq ft
TP-664-5980-2X8HERR	Navona Vein Cut Candido Real Surface Technology Matte 2x8 Herringbone Travertine-Look Porcelain Mosaic 1–3 WEEKS	Matte	5 pcs / box	4.31 sq ft
TP-664-5860-2X8HERR	Navona Vein Cut Nebulo Polished 2x8 Herringbone Travertine-Look Porcelain Mosaic 1–3 WEEKS	Polished	5 pcs / box	4.31 sq ft
TP-664-5960-2X8HERR	Navona Vein Cut Nebulo Real Surface Technology Matte 2x8 Herringbone Travertine-Look Porcelain Mosaic 1–3 WEEKS	Matte	5 pcs / box	4.31 sq ft
TP-664-5840-2X8HERR	Navona Vein Cut Nievo Polished 2x8 Herringbone Travertine-Look Porcelain Mosaic 1–3 WEEKS	Polished	5 pcs / box	4.31 sq ft
TP-664-5940-2X8HERR	Navona Vein Cut Nievo Real Surface Technology Matte 2x8 Herringbone Travertine-Look Porcelain Mosaic 1–3 WEEKS	Matte	5 pcs / box	4.31 sq ft
TP-CB6X6-028	Navona Vein Cut Candido and Nebulo Matte 6x6 Checkerboard Travertine-Look Porcelain Tile 1–3 WEEKS	Matte	8 pcs / set	

ITEM CODE	PRODUCT	FINISH	PACKED	COVERAGE
TP-CB6X6-029	Navona Vein Cut Candido and Nebulo Polished 6x6 Checkerboard Travertine-Look Porcelain Tile 1–3 WEEKS	Polished	8 pcs / set	

02 TECHNICAL CHARACTERISTICS
TEST RESULTS & SPECIFICATIONS

CHARACTERISTIC	STANDARD / SCALE	RESULT	TEST METHOD
Water absorption	Porcelain: 0.5% or less	**≤ 0.5%**	ASTM C373
Frost resistance	As reported	**Resistant**	ASTM C1026
Stain resistance	Class 1 – Class 5	**Class 3 (min.)**	ISO 10545-14
Breaking strength	As reported	**over 1300 N**	ASTM C648
Abrasion resistance (PEI)	Class 0 – Class V	**3 (min.)**	ASTM C1027
DCOF, wet areas [1]	0.42 or more for wet floors	**0.42 or more (matte)**	DCOF AcuTest [2]
Slip rating	R9 – R13	**R10 (matte)**	DIN 51130
Shade variation	V1 – V4	**V3**	ANSI A137.1

SPECIFICATION	VALUE
Body	Rectified color-body porcelain, vein cut
Thickness	9 mm
Country of origin	Italy
Minimum grout joint	1/8"
Faces	19 – 76 by size

1 **DCOF (dynamic coefficient of friction):** wet interior floors need 0.42 or more (ANSI A137.1). 2 DCOF AcuTest is the test in ANSI A137.1, Section 9.6. Values not shown were not reported by the manufacturer.

03 APPLICATIONS
WHERE TO USE IT

RECOMMENDED

- → **Walls** and backsplashes, interior and exterior
- → **Shower walls**
- → **Floors**, interior, dry (matte only)
- → **Pool and spa**, submerged

NOT RECOMMENDED

- × **Shower floors** and other wet walking surfaces
- × **Barefoot wet zones** such as pool decks
- × **Countertops** and work surfaces

APPLICATION	RESIDENTIAL	COMMERCIAL
Floors	Interior, dry (matte only)	Interior, dry (matte only)
Walls	Interior / Exterior	Interior / Exterior
Shower floors	Not suitable	Not suitable
Shower walls	Interior / Exterior	Interior / Exterior
Pool & spa, submerged	Interior / Exterior	Interior / Exterior

Floors: matte finish only, residential and light commercial, not for barefoot wet zones.

Bullnose trim: interior residential walls only.

04 ON THE JOB INSTALLATION

1. **Prepare the surface.** Use a clean, sound, flat substrate per ANSI A108 and the TCNA Handbook. In showers, pools and on exterior surfaces, install a waterproofing membrane (ANSI A118.10) first.
2. **Blend before you set.** Open several boxes and mix pieces across the area. Shade and pattern vary by design.
3. **Set with a polymer-modified thin-set.** Use a mortar meeting ANSI A118.4 or A118.15 (A118.15 recommended for large formats). Back-butter each piece; aim for 95% coverage in wet areas, pools and exteriors.
4. **Keep the minimum joint.** Never set tighter than the minimum grout joint shown in the specifications. For pieces longer than 18", keep offsets to one third or less (ANSI A108).
5. **Grout and clean right away.** Use a sanded cement grout (ANSI A118.7) or an epoxy grout (ANSI A118.3, preferred for pools and spas). Wipe residue before it sets.
6. **Add movement joints.** Place soft joints at corners, changes of plane and perimeters per TCNA EJ171.

Wet saw

Cut with a wet saw and a diamond blade made for porcelain. Never cut dry: it throws crystalline silica dust. Wear eye, hand and breathing protection.

Pools

Let thin-set and grout cure for the full time their maker specifies before filling. Keep water chemistry balanced.

05 AFTER THE JOB CARE AND MAINTENANCE

EVERYDAY

Clean with warm water and a pH-neutral tile cleaner, then rinse and wipe dry. The glazed or porcelain surface never needs sealing.

NEVER USE

Steel wool, scouring pads or abrasive powders. Hydrofluoric acid. Oil soaps or waxes, which leave a film. Avoid acid cleaners on cement grout.

NEED A HAND?

Questions on quantities, layout or a tricky detail? Call us before you cut.

888-404-5664

tilepoint.com

Values are typical of normal production and given in good faith. Shade and pattern vary between production runs and may differ from printed or on-screen colors; choose from actual pieces. Installation must follow the setting material manufacturer's instructions, ANSI A108/A118, ANSI A137.1, the TCNA Handbook and local building codes.